

# E-MAIL COMMANDS

E-mail Utilities has the following commands that can send data via E-mail:

- + **EMLDTAF**            E-mail a data file
- + **EMLSPLF**           E-mail spool files
- + **EMLIFS**            E-mail an IFS file

## *E-mail a Data File*

The **EMLDTAF** command will send one or more data file members via E-mail to one or more Internet users. Physical files, logical files, source physical files, and save files can be sent. Up to 50 files can be specified. Up to 50 members can be specified for each file. Each file member appears as an attachment to the E-mail message. Each attachment is encoded using Base 64, a standard encoding scheme understood by all E-mail viewers. The user can specify 2-part attachment names (*i.e.* abc.txt) for each member.

If the **EMLDTAF** command is prompted using **F4** the following screens will appear:

Send a data file via E-Mail (EMLDTAF)

Type choices, press Enter.

From Address . . . . . \_\_\_\_\_

\_\_\_\_\_

From Name . . . . . \_\_\_\_\_

\_\_\_\_\_

To Address . . . . . \_\_\_\_\_

\_\_\_\_\_

+ for more values

\_\_\_\_\_

To Name . . . . . \_\_\_\_\_

\_\_\_\_\_

+ for more values

\_\_\_\_\_

Subject. . . . . \_\_\_\_\_

More...

F3=Exit F4=Prompt F5=Refresh F12=Cancel F13=How to use this display  
F24=More keys

# E-MAIL UTILITIES™

Send a data file via E-Mail (EMLDTAF)

Type choices, press Enter.

Attachment Files:

AS/400 file name . . . . .	_____	Name
AS/400 library name . . . . .	_____	Name, *LIBL
Member Name . . . . .	_____	Name, *FILE, *NONE
+ for more values	_____	
Attachment Type . . . . .	<u>*BIN</u>	*BIN, *TXT, *CSV, *TSV
Attachment File Name . . . . .	<u>*MBR</u>	
Attachment File Suffix Name . .	<u>*ATCHTYPE</u>	
Options . . . . .	<u>*NONE</u>	*NONE, *CVTSRC, *TRUNCATE
Encryption Spec Name . . . . .	<u>*NONE</u>	Character value, *NONE
Encryption Password . . . . .	<u>*ENCSPC</u>	
+ for more values	_____	

More...

F3=Exit F4=Prompt F5=Refresh F12=Cancel F13=How to use this display  
F24=More keys

# E-MAIL COMMANDS

Send a data file via E-Mail (EMLDTAF)

Type choices, press Enter.

Optional Note . . . . . \*NONE

+ for more values

File containing note . . . . . \*NONE Name, \*NONE

\*LIBL Name, \*LIBL

Note file member . . . . . \*FILE Name, \*FILE

EBCDIC CCSID . . . . . \*DFT 1-65535, \*DFT

ASCII CCSID . . . . . \*DFT 1-65535, \*DFT

File containing Recipient List . . . . . \*NONE Name, \*NONE

\*LIBL Name, \*LIBL

Recipient file member . . . . . \*FILE Name, \*FILE, \*FIRST

Blind Carbon Copy (Bcc) Addr \*NONE

Blind Carbon Copy (Bcc) Name \*BLANK

+ for more values

File containing Bcc list . . . . . \*NONE Name, \*NONE

\*LIBL Name, \*LIBL

Bcc file member . . . . . \*FILE Name, \*FILE, \*FIRST

CSV/TSV Heading Option . . . . . \*NONE \*NONE, \*TEXT, \*COLHDG...

Bottom

F3=Exit F4=Prompt F5=Refresh F12=Cancel F13=How to use this display

F24=More keys

# E-MAIL UTILITIES™

```
Send a data file via E-Mail (EMLDTAF)

Type choices, press Enter.

Blind Carbon Copy (Bcc) Addr      *NONE_____
_____
Blind Carbon Copy (Bcc) Name      *BLANK_____
_____

          + for more values _
File containing Bcc list . . . . . *NONE_____      Name, *NONE
          *LIBL_____      Name, *LIBL
Bcc file member . . . . . *FILE_____      Name, *FILE, *FIRST
CSV/TSV Heading Option . . . . . *NONE_____      *NONE, *TEXT, *COLHDG...

F3=Exit  F4=Prompt  F5=Refresh  F12=Cancel  F13=How to use this display
F24=More keys
```

The **EMLDTAF** command has the following parameters:

## From Address, From Name (FROMADDR) Parameter

Specifies the sender. Specify up to 64 characters for each or the following special value:

**\*BLANK:** The name portion of the from-address attribute will be omitted.

**Note:** See “Address Formats” below for allowable address types and values.

## To Address, To Name (TOADDR) Parameter

Specifies, with the **TONAME** parameter, the recipient. Specify up to 64 characters. Specify up to 50 E-mail address/name pairs or one of the following special values:

**\*FILE:** The recipient list is contained in a physical file specified by the **TOFILE** and **TOMBR** parameters listed below.

**\*BLANK:** The name portion of the recipient will be omitted.

**Note:** See “Address Formats” below for allowable address types and values.

- 1) Name/Addresses will appear on the message in the form *from-address* or *from-name <from-address>*.
- 2) E-mail Utilities performs minor edit checking of names and addresses. OS/400 will not notify the **EMLDTAF** command if the recipient list's addresses are found to be invalid. The user must insure the correct name/addresses are entered.

# E-MAIL COMMANDS

## Subject (SUBJECT) Parameter

Specifies the subject. Specify up to 70 characters, which can include one or more of the following substitution values:

- \***SPLFILE:** The Spool File Name of the spool entry will be substituted.
- \***JOBNAME:** The Job Name of the job that created the spool entry will be substituted.
- \***JOBUSER:** The User Profile Name of the job that created the spool entry will be substituted.
- \***JOBNUM:** The Job Number of the job that created the spool entry, prefixed by 'J' will be substituted.
- \***SPLNUM:** The Spool File Number of the spool entry, prefixed by 'F' will be substituted.
- \***FORMTYP:** The Form Type attribute of the spool entry will be substituted.
- \***USRDTA:** The User Data attribute of the spool entry will be substituted.
- \***OUTQ:** The Outq Name attribute of the spool entry will be substituted.

## Attachment File (ATCHFILE) Parameter

Specifies the attachment files to place in the message. Specify up to 50 attachment files. For each attachment file, specify the AS/400 file and library name, up to 50 members, the format type, the attachment name and extension, and options.

Each attachment is encoded using Base 64, a popular encoding method understood by all web browsers.

## AS/400 file name Element

Specifies the file on the AS/400 you wish to send. The file must exist on the AS/400.

## AS/400 library name Element

Specifies the library where the AS/400 file resides.

## Member Name Element

Specifies the members you wish to send. Specify up to 50 members. Each member will appear as a separate attachment in the E-mail message.

\***FILE:** The member name is the same as the file name.

\***NONE:** No member is specified. This value is only valid for save files, where it is required.

## Attachment Type Element

Specifies how the attachment will be formatted. Select one of the following:

# E-MAIL UTILITIES™

**\*BIN:** The attachment is a binary file. No EBCDIC to ASCII conversion is performed. No record separators are inserted after each record. This format is useful when sending objects such as save files to other AS/400 machines.

**\*TXT:** The attachment is a text file. EBCDIC to ASCII conversion is performed. Carriage Return (CRLF) characters are inserted after each record.

**\*CSV:** The attachment is a Comma Separated Values (CSV) file. CSV is a format understood by most database and Spreadsheet applications including Microsoft Access and Microsoft Excel.

**\*TSV:** The attachment is a Tab Separated Values (TSV) file. TSV is a format understood by most database and Spreadsheet applications including Microsoft Access and Microsoft Excel.

## Attachment File Name and File Suffix Name Elements

Specifies the name of the attachment once it is placed into the E-mail message. Specify a name and optionally a suffix. The attachment name will be generated in the form *name.extention*.

**\*MBR:** The AS/400 member name is used as the Attachment file name.

**\*ATCHTYPE:** The Attachment type determines the File Suffix name:

*BIN	(no suffix)
*TXT	.txt
*CSV	.csv
*TSV	.tsv

## Attachment Options Element

Specifies various formatting options. Select one or more of the following:

**\*NONE:** No additional options are specified.

**\*CVTSRC:** For Attachment types \*TXT, \*CSV, and \*TSV only, specifies that the Sequence Number and Change Date fields are dropped. This parameter is ignored if the AS/400 file is not a source physical file.

**\*TRUNCATE:** For Attachment type \*TXT only, specifies if trailing blanks are to be truncated before inserting the CRLF characters.

## Encryption Spec Name Element

Specifies the name of the Encryption Spec to use to encrypt the attachment. The Encryption Spec must already exist. Refer to Chapter 8, Manage Encryption Specifications for more information. Select one of the following:

**\*NONE:** No encryption will be performed on the attachment.

# E-MAIL COMMANDS

## Encryption Password Element

Specifies, for encrypted attachments, the password needed to access the attachment. Specify a value or select one of the following:

**\*ENCSPC:** The password is contained in the Encryption Spec specified above.

## Optional Note (OPTNOTE) Parameter

Specifies an optional note that will be placed in the message. Specify up to 5 lines of up to 70 characters or one of the following special values:

**\*NONE:** No optional note is placed into the message.

**\*BLANK:** A blank line is to be placed into the optional note.

## File containing Note (NOTEFILE) Parameter

Specifies the file that contains an additional note to be placed into the message. The file must be a physical file or source physical file. Each record in the file will be formatted as a line in the message. The note will be placed into the message as inline text. It will be converted from EBCDIC to ASCII and a CRLF will be inserted after each (blank truncated) record.

Specify the file and library names or the following special value:

**\*NONE:** No file is specified.

## Note File Member (NOTEMBR) Parameter

Specifies the member to use. Specify a name or one of the following special values:

**\*FILE:** The member name is the same as the file name.

**\*FIRST:** The first member added to the file will be used.

## EBCDIC CCSID (ECCSID) Parameter

Specifies, if EBCDIC to ASCII conversion is performed, the EBCDIC CCSID to pass to the conversion routine. Specify a number (i.e. 37 is US English) or the following:

**\*DFT:** The default EBCDIC CCSID, specified on the Tailoring Options screen, is used.

## ASCII CCSID (ACCSID) Parameter

Specifies, if EBCDIC to ASCII conversion is performed, the ASCII CCSID to pass to the conversion routine. Specify a number (i.e. 437 is US English) or the following:

**\*DFT:** The default ASCII CCSID, specified on the Tailoring Options screen, is used.

## File containing Recipient List (TOFILE) Parameter

Specifies, if TOADDR(\*FILE) is specified, the file which contains the recipient addresses and names.

# E-MAIL UTILITIES™

The file must exist. The file must be a physical file, logical file, or source physical file. Each record in the file will be processed as a recipient of the message. The record length of the file is optional but 128 bytes is recommended. Place the address in the first 64 characters of the record. Place the name (if desired) in positions 65 thru 128. The name portion can be left blank. Record lengths other than 128 will be padded with blanks or truncated as needed.

Place an \* in column 1 to designate a comment record. Comment records will be ignored.

Specify the file and library names or the following special value:

**\*NONE:** No file is specified.

## Recipient File Member (TOMBR) Parameter

Specifies, the member to use. Specify a name or the following special values:

**\*FILE:** The member name is the same as the file name.

**\*FIRST:** The first member added to the file will be used.

## Blind Carbon Copy (Bcc) Address, (BCCADDR) Parameter

Specifies Bcc recipients. Bcc recipients' name/addresses will not appear anywhere in the message.

Specify up to 64 characters. Specify up to 50 E-mail address/name pairs or one of the following special values:

**\*FILE:** The recipient list is contained in a physical file specified by the **BCCFILE** and **BCCMBR** parameters listed below.

**\*BLANK:** The name portion of the Bcc recipient will be omitted.

**Note:** See "Address Formats" below for allowable address types and values.

## File containing Bcc Recipient List (BCCFILE) Parameter

Specifies, if **BCCADDR(\*FILE)** is specified, the file which contains the Bcc recipient addresses and names. The file must exist. The file must be a physical file, logical file, or source physical file. Each record in the file will be processed as a recipient of the message. The record length of the file is optional but 128 bytes is recommended. Place the address in the first 64 characters of the record. Place the name (if desired) in positions 65 thru 128. The name portion can be left blank. Record lengths other than 128 will be padded with blanks or truncated as needed.

Place an \* in column 1 to designate a comment record. Comment records will be ignored.

Specify the file and library names or the following special value:

**\*NONE:** No file is specified.

# E-MAIL COMMANDS

## Bcc Recipient File Member (BCCMBR) Parameter

Specifies, the member to use. Specify a name or the following special values:

**\*FILE:** The member name is the same as the file name.

**\*FIRST:** The first member added to the file will be used.

## CSV/TSV Heading Option (HDGOPT) Parameter

Specifies, for part types \*CSV and \*TSV only, the type of heading records to write prior to writing the data records. The field description for each field will be examined. All generated heading cells will be treated as character text. If no non-blank cells are found, the line will not be generated. Specify one of the following:

**\*NONE:** No heading records will be generated.

**\*TEXT:** The TEXT attribute of each field will be used to generate the heading record. One heading record will be generated.

**\*COLHDG:** The COLHDG (Column Heading) attribute of each field will be used to generate the heading record. One heading record will be generated. If more than one COLHDG value is defined for a field (up to 3 are allowed), the defined values will be blank-concatenated together to make 1 value.

**\*COLHDG1:** The COLHDG (Column Heading) attribute of each field will be used to generate the heading record. One heading record will be generated. If more than one COLHDG value is defined for a field (up to 3 are allowed), only the first value will be used.

**\*FLDNAME:** The Field Name attribute of each field will be used to generate heading records. One heading record will be generated.

**\*AFLDNAME:** The Alternative Name attribute of each field will be used to generate heading records. One heading record will be generated.

**Example:** The following command will send a data file to an Internet user:

```
EMLDTAF FROMADDR('me@here' 'Me at Here') TOADDR(('you@there' 'You at There'))
SUBJECT('Test subject') ATCHFILE((QGPL/QCLSRC (MBR1) *TXT *MBR
ATCHTYPE (CVTSRC)))
```

## *E-mail a Spool File*

The **EMLSPLF** (E-mail a spool file) command can send a spool entry in an OS/400 outq via E-mail to one or more Internet users. The users can use common E-mail viewers such as Microsoft Outlook or Netscape Communicator to view the sent E-Mail. The spool entry can appear in the mail inline or as an

# E-MAIL UTILITIES™

attachment. Attachments can be unformatted or can be in Adobe PDF, CSV (Comma Separated Values), or TSV (Tab Separated Values) format. The user can specify up to 50 recipients or can specify a data file which contains the list of recipients.

If executed the following screens will appear:

```
Send a spool entry via E-Mail (EMLSPLF)

Type choices, press Enter.

Spool entry's file name . . . . . _____      Name
Spool entry's Job Name . . . . . *CURRENT        Name, *CURRENT
  User . . . . . _____      Name
  Number . . . . . _____      000000-999999
Spool entry's file number . . . *LAST          Name, *ONLY, *LAST
From Address . . . . . _____
_____
_____
_____
From Name . . . . . _____
_____
_____
_____
More...
F3=Exit  F4=Prompt  F5=Refresh  F12=Cancel  F13=How to use this display
F24=More keys
```

# E-MAIL COMMANDS

Send a spool entry via E-Mail (EMLSPLF)

Type choices, press Enter.

To Address . . . . . \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

+ for more values \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

To Name . . . . . \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

+ for more values \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

More...

F3=Exit F4=Prompt F5=Refresh F12=Cancel F13=How to use this display  
F24=More keys

# E-MAIL UTILITIES™

Send a spool entry via E-Mail (EMLSPLF)

Type choices, press Enter.

Subject . . . . . \_\_\_\_\_

---

Optional Note . . . . . \*NONE

---

+ for more values

---

Attachment Type . . . . . \*INLUNF      \*INLUNF, \*ATHUNF, \*PDF, ...

Attachment Name . . . . . \*SPLFILE

Attachment Name suffix . . . . . \*PARTYP

File containing Recipient List . . . . . \*NONE      Name, \*NONE

\*LIBL      Name, \*LIBL

Recipient file member . . . . . \*FILE      Name, \*FILE, \*FIRST

CSV/TSV or PDF Spec Name . . . . . \*NONE      Character Value, \*NONE

Encryption Spec Name . . . . . \*NONE      Character value, \*NONE

Encryption Password . . . . . \*ENCSPC

More...

F3=Exit   F4=Prompt   F5=Refresh   F12=Cancel   F13=How to use this display  
F24=More keys

Send a spool entry via E-Mail (EMLSPLF)

Type choices, press Enter.

Blind Carbon Copy (Bcc) Addr      \*NONE

---

Blind Carbon Copy (Bcc) Name      \*BLANK

---

+ for more values \_

File containing Bcc list . . . . . \*NONE      Name, \*NONE

\*LIBL      Name, \*LIBL

Bcc file member . . . . . \*FILE      Name, \*FILE, \*FIRST

More...

F3=Exit   F4=Prompt   F5=Refresh   F12=Cancel   F13=How to use this display  
F24=More keys

# E-MAIL COMMANDS

```
Send a spool entry via E-Mail (EMLSPLF)
Type choices, press Enter.

Addl Spool Entry Atchmnt List:
Spool entry's file name . . . *PREVENT      Name, *PREVENT
Spool entry's Job Name . . . *PREVENT      Name, *PREVENT, *CURRENT
  User . . . . .                _____ Name
  Number . . . . .              _____ 000000-999999
Spool entry's file number . . *PREVENT      Number, *ONLY, *LAST...
Attachment Type . . . . .      *PREVENT      *PREVENT, *INLUNF, ...
Attachment Name . . . . .      *PREVENT      _____=
Attachment name suffix . . . . *PREVENT      _____=
CSV/TSV or PDF Spec Name . . . *PREVENT      Character, *PREVENT...
Encryption Spec Name . . . . . *PREVENT      Character, *PREVENT...
Encryption Password . . . . . *PREVENT      _____=

+ for more values

Bottom

F3=Exit  F4=Prompt  F5=Refresh  F12=Cancel  F13=How to use this display
F24=More keys
```

The **EMLSPLF** command has the following parameters:

## Spool entry's file name (SPLFILE) Parameter

Specifies, with the **SPLJOB** and **SPLNBR** parameters, the spool entry to E-Mail. OS/400 uses the combination of Job name, spool file name, and spool file number to uniquely identify a spool entry in the system

## Spool entry's Job name (SPLJOB) Parameter

Specifies, with the **SPLFILE** and **SPLNBR** parameters, the spool entry to E-Mail. Specify the Job name, user, and number. The user may also specify the following special value:

**\*CURRENT:** The job that issues the **EMLSPLF** command will be used to identify the spool entry.

## Spool entry's file number (SPLNBR) Parameter

Specifies, with the **SPLFILE** and **SPLJOB** parameters, the spool entry to E-Mail. Specify the file number or one of the following special values:

**\*LAST:** The last spool file which the job created will be sent.

**\*ONLY:** The only spool file which the job created will be sent.

## From Address (FROMADDR) Parameter

Specifies, with the **FROMNAME** parameter, the sender. Specify up to 256 characters.

# E-MAIL UTILITIES™

## From Name (FROMNAME) Parameter

Specifies, with the **FROMADDR** parameter, the sender. Specify up to 256 characters or the following special value:

**\*BLANK:** The name portion of the from-address will be omitted.

## To Address (TOADDR) Parameter

Specifies, with the **TONAME** parameter, the recipient. Specify up to 256 characters. Specify up to 50 E-mail addresses or the following special value:

**\*FILE:** The recipient list is contained in a physical file specified by the **TOFILE** and **TOMBR** parameters listed below.

## To Name (TONAME) Parameter

Specifies, with the **TOADDR** parameter, the recipient. Specify up to 256 characters. Specify up to 50 names or the following special value:

**\*BLANK:** The name portion of the recipient will be omitted.

## Notes:

- 1) Name/Addresses will appear on the message in the form *from-address* or *from-name <from-address>*.
- 2) **TOADDR** and **TONAME** parameters will be paired together when building the recipient list. Care must be taken when specifying a large list of recipients.
- 3) E-mail Utilities performs very little edit checking of names and addresses. OS/400 will not notify the **EMLSPLF** command if the recipient list's addresses are found to be invalid. The user must insure the correct name/addresses are entered.

## Subject (SUBJECT) Parameter

Specifies the subject. Specify up to 70 characters:

## Optional Note (OPTNOTE) Parameter

Specifies an optional note that can be sent in front of the spool entry. Specify up to 5 lines of up to 70 characters or one of the following special values:

**\*NONE:** No optional note is placed into the message.

**\*BLANK:** A blank line is to be placed into the optional note.

## Attachment Type (PARTTYPE) Parameter

Specifies the type of formatting to use when building the attachment. Select one of the following:

# E-MAIL COMMANDS

**\*INLUNF:** The spool file is placed in the message as inline, unformatted text.

**\*ATHUNF:** The spool file is placed in the message as an unformatted text file attachment.

**\*PDF:** The spool file is placed in the message as a PDF attachment.

**\*CSV:** The spool file is placed in the message as a Comma Separated Values (CSV) attachment.

**\*TSV:** The spool file is placed in the message as a Tab Separated Values (TSV) attachment.

## Attachment Name (ATHNAME) Parameter

Specifies, for Attachment Types \*ATHUNF, \*PDF, \*CSV, and \*TSV, the file name of the attachment: Specify up to 32 characters or one of the following:

**\*SPLFILE:** The spool entry's spool file name is used as the attachment name.

**\*JOBNAME:** The spool entry's Job Name is used as the attachment name.

**\*JOBUSER:** The spool entry's Job User ID is used as the attachment name.

**\*SPLNUM:** The spool entry's Spool File Number is used as the attachment name.

**\*FORMTYP:** The spool entry's form type attribute is used as the attachment name.

**\*USRDTA:** The spool entry's User Data attribute is used as the attachment name.

**\*OUTQ:** The spool entry's Outq name attribute is used as the attachment name.

## Attachment Name Suffix (ATHTYPE) Parameter

Specifies, for Attachment Types \*ATHUNF, \*PDF, \*CSV, and \*TSV, the file name suffix of the attachment: Specify up to 32 characters or the following:

**\*PARTYP:** The Attachment type is used to determine the suffix:

*ATHUNF	.txt
*PDF	.pdf
*CSV	.csv
*TSV	.tsv

## File containing Recipient List (TOFILE) Parameter

Specifies, if **TOADDR(\*FILE)** is specified, the file which contains the recipient addresses and names. The file must exist.

The file must be a physical file. Each record in the file corresponds to a recipient of the message. The

# E-MAIL UTILITIES™

record length of the file is optional but 128 bytes is recommended. Place the address in the first 64 characters of the record. Place the name (if desired) in positions 65 thru 128. The name portion can be left blank. Record lengths other than 128 will be padded with blanks or truncated as needed.

Place an \* in column 1 to designate a comment record. Comment records will be ignored.

Specify the file and library names or the following special value:

**\*NONE:** No file is specified.

## **Recipient File Member (TOMBR) Parameter**

Specifies, the member within the To-file to use. Specify a name or one of the following special values:

**\*FILE:** The member name is the same as the file name.

**\*FIRST:** The first member added to the file will be used.

## **CSV/TSV or PDF Spec Name (SPECNAME) Parameter**

Specifies, for CSV, TSV, and PDF types, the Specifications name to use. PDF/CSV specs contain options used when formatting the spool entry. The spec must be defined prior to use. Specify a name or the following.

**\*NONE:** No Spec will be used.

## **Encryption Spec Name Parameter**

Specifies the name of the Encryption Spec to use to encrypt the attachment. The Encryption Spec must already exist. Refer to Chapter 8, Manage Encryption Specifications for more information. Select one of the following:

**\*NONE:** No encryption will be performed on the attachment.

## **Encryption Password Parameter**

Specifies, for encrypted attachments, the password needed to access the attachment. Specify a value or select one of the following:

**\*ENCSPC:** The password is contained in the Encryption Spec specified above.

## **Bcc Address (BCCADDR) Parameter**

Specifies Bcc (Blind Carbon Copy) recipients. Bcc recipients will not appear in the message header. Specify up to 256 characters. Specify up to 50 E-mail addresses or one of the following special values:

**\*EMLSPC:** The E-Mail specification entered above contains the to-address value to place into the message. Please note that the distribution list will not be used. See \*EMLDST below.

**\*EMLDST:** The E-Mail specification entered above contains the to-address and the distribution list

# E-MAIL COMMANDS

to use as the recipient list.

**\*FILE:** The recipient list is contained in a physical file specified by the **BCCFILE** and **BCCMBR** parameters listed below.

**\*NONE:** No address is specified.

**\*USRPRF(xxxxx):** The SMTP address associated with the specified user profile will be used as the address. Use the Work with directory entries command (WRKDIRE) to determine SMTP address associations.

**USRPRF(\*JOBUSER):** The SMTP address associated with the sending job's user profile will be used as the address.

**USRPRF(\*SPLUSER):** The SMTP address associated with the spool entry's user profile attribute will be used as the address.

**\*SNADSUSR(xxxxx yyyy):** The SMTP address associated with the specified SNADS User will be used as the address. Use the Work with directory entries command (WRKDIRE) to determine SMTP address associations.

**\*BLANK:** The name portion of the recipient will be omitted.

## **File containing Bcc Recipient List (BCCFILE) Parameter**

Specifies, if **BCCADDR(\*FILE)** is specified, the file which contains the recipient addresses and names. The file must exist.

The file must be a physical file. Each record in the file corresponds to a Bcc recipient of the message. The record length of the file is optional but 128 bytes is recommended. Place the address in the first 64 characters of the record. Place the name (if desired) in positions 65 thru 128. The name portion can be left blank. Record lengths other than 128 will be padded with blanks or truncated as needed.

Place an \* in column 1 to designate a comment record. Comment records will be ignored.

Specify the file and library names or one of the following special values:

**\*NONE:** No file is specified.

## **Bcc Recipient File Member (BCCMBR) Parameter**

Specifies, the member within the Bcc-file to use. Specify a name or one of the following special values:

**\*FILE:** The member name is the same as the file name.

**\*FIRST:** The first member added to the file will be used.

# E-MAIL UTILITIES™

## Add Spool Entry Attachment List (ATCHLST) Parameter

Specifies additional spool entry attachments to place into the message. Specify up to 50 entries. For each entry, specify a E-mail Specification, Spool File Name and Number, Job Name User and Number, a PDF/CSV/TSV Spec name, a File Attachment Name, an Encryption Spec name, and an Encryption Password . See the corresponding attributes described earlier for a complete description of each element. Specify up to 50 entries. Note the following special values:

**\*PREVENT:** Use the value specified on the previous entry for this entry. If this is the first additional entry, use the value specified on the corresponding first attribute (EMLSPC attr, SPLFILE attr, etc) for this value.

**Example:** The following command will send a spool entry created by you to an internet user

```
EMLSPLF SPLFILE(ACT0200) SPLJOB(*CURRENT) SPLNBR(*LAST)
FROMADDR('me@here') FROMNAME('Me at Here') TOADDR('you@there')
TONAME('You at There') SUBJECT('Weekly Accounting Report')
```

## *E-mail an IFS File*

The **EMLIFSF** command will send one or more IFS (stream) files via E-mail to one or more Internet users. The IFS files can be created via PC applications and transferred to the AS/400, allowing the user to create high quality attachments for their E-mail. An example of creating and sending a formatted HTML message is provided below.

Up to 50 files can be specified. Each file can appear as an attachment to the E-mail message or as inline text. Attachments are encoded using Base 64, a standard encoding scheme understood by all E-mail viewers. Files can be appended to the previous file. The user can specify 2-part attachment names (*i.e.* abc.txt) for each member.

If the **EMLIFSF** command is prompted using **F4** the following screens will appear:

# E-MAIL COMMANDS

Send an IFS file via E-Mail (EMLIFSF)

Type choices, press Enter.

From Address . . . . . \_\_\_\_\_  
\_\_\_\_\_

From Name . . . . . \_\_\_\_\_  
\_\_\_\_\_

To Address . . . . . \_\_\_\_\_  
\_\_\_\_\_

+ for more values \_\_\_\_\_

To Name . . . . . \_\_\_\_\_  
\_\_\_\_\_

+ for more values \_\_\_\_\_

Subject. . . . . \_\_\_\_\_  
\_\_\_\_\_

More...

F3=Exit F4=Prompt F5=Refresh F12=Cancel F13=How to use this display  
F24=More keys

# E-MAIL UTILITIES™

Send an IFS file via E-Mail (EMLIFSF)

Type choices, press Enter.

Attachment Files:

AS/400 IFS Path and File Name . \_\_\_\_\_  
\_\_\_\_\_  
Attachment Type . . . . . \*INLINE \*INLINE, \*ATCHMNT  
Attachment Content Type . . . . . 'text'  
Attachment Content Subtype . . . . . 'plain'  
Attachment File Name . . . . . \*ATCHTYPE  
Convert EBCDIC to ASCII. . . . . \*FILE \*FILE, \*YES, \*NO  
Append to previous attachment . \*NO \*YES, \*NO  
Encryption Spec Name . . . . . \*NONE Character value, \*NONE  
Encryption Password . . . . . \*ENCSPC  
+ for more values -  
Optional Note . . . . . \*NONE  
\_\_\_\_\_  
+ for more values \_\_\_\_\_

More...

F3=Exit F4=Prompt F5=Refresh F12=Cancel F13=How to use this display  
F24=More keys

# E-MAIL COMMANDS

```

Send an IFS file via E-Mail (EMLIFSF)

Type choices, press Enter.

File containing note . . . . . *NONE_____ Name, *NONE
                               *LIBL_____ Name, *LIBL
Note file member . . . . . *FILE_____ Name, *FILE
EBCDIC CCSID . . . . . *DFT_____ 1-65535, *DFT
ASCII CCSID . . . . . *DFT_____ 1-65535, *DFT
File containing Recipient List . *NONE_____ Name, *NONE
                               *LIBL_____ Name, *LIBL
Recipient file member . . . . . *FILE_____ Name, *FILE, *FIRST

Blind Carbon Copy (Bcc) Addr _____ *NONE_____
Blind Carbon Copy (Bcc) Name _____ *BLANK_____

+ for more values _
File containing Bcc list . . . . . *NONE_____ Name, *NONE
                               *LIBL_____ Name, *LIBL
Bcc file member . . . . . *FILE_____ Name, *FILE, *FIRST
Primary Content Subtype . . . . . 'mixed'_____

Bottom
F3=Exit F4=Prompt F5=Refresh F12=Cancel F13=How to use this display
F24=More keys

```

The **EMLIFSF** command has the following parameters:

## From Address, From Name (FROMADDR) Parameter

Specifies the sender. Specify up to 64 characters for each or the following special value:

**\*BLANK:** The name portion of the from-address attribute will be omitted.

**Note:** See “Address Formats” below for allowable address types and values.

## To Address, To Name (TOADDR) Parameter

Specifies, with the **TONAME** parameter, the recipient. Specify up to 64 characters. Specify up to 50 E-mail address/name pairs or one of the following special values:

**\*FILE:** The recipient list is contained in a physical file specified by the **TOFILE** and **TOMBR** parameters listed below.

**\*BLANK:** The name portion of the recipient will be omitted.

# E-MAIL UTILITIES™

**Note:** See “Address Formats” below for allowable address types and values.

- 1) Name/Addresses will appear on the message in the form *from-address* or *from-name <from-address>*.
- 2) E-mail Utilities performs minor edit checking of names and addresses. OS/400 will not notify the **EMLIFSF** command if the recipient list's addresses are found to be invalid. The user must insure the correct name/addresses are entered.

## Subject (SUBJECT) Parameter

Specifies the subject. Specify up to 70 characters:

## Attachment File (ATCHFILE) Parameter

Specifies the attachment files to place in the message. Specify up to 50 attachment files. For each attachment file, specify the path and file name, the attachment type, and options.

## AS/400 Path and file name Element

Specifies the IFS file on the AS/400 you wish to send. The path and file must exist on the AS/400. For example:

*/mydir/myfile.html*

## Attachment Type Element

Specifies how the attachment will be formatted. Select one of the following:

**\*INLINE:** The IFS file is placed into the message as inline text.

**\*ATCHMNT:** The IFS file is placed into the message as an attachment. The attachment is encoded using Base 64, a popular encoding method understood by all web browsers.

## Attachment Content Type and Subtype Elements

Specifies the type/subtype values to place into MIME Content-Type header attribute. Refer to RFC 2045 thru 2048 for a description of MIME messages.

**text/plain:** The value text/plain will be placed into the Content-Type header field.

## Attachment File Name Element

Specifies the name of the attachment once it is placed into the E-mail message.

**\*IFSF:** The AS/400 IFS file name is used as the Attachment file name.

## Convert EBCDIC to ASCII Element

Specifies if the IFS file data is to be converted to ASCII. The EBCDIC and ASCII CCSID's to use for the conversion are specified below. Select one or more of the following:

# E-MAIL COMMANDS

**\*FILE:** The CCSID of the IFS file is examined. If it is different than the specified ASCII CCSID, conversion will take place. Otherwise no conversion will take place.

**\*YES:** EBCDIC to ASCII conversion will take place using the EBCDIC and ASCII CCSIDs specified below.

**\*NO:** No EBCDIC to ASCII conversion will take place.

## Append to previous attachment Element

Specifies if this IFS file's data is to be added to the data in the previous file. This parameter is ignored if the previous attachment type (\*INLINE, \*ATCHMNT) is different. This parameter is also ignored if the Encryption Spec or password is different. The first IFS file can be appended to the note lines or file if they are specified. The note is considered \*INLINE. Select one or more of the following:

**\*NO:** Do not append this file to the previous file.

**\*YES:** Append this file to the previous file data.

## Encryption Spec Name Element

Specifies the name of the Encryption Spec to use to encrypt the attachment. The Encryption Spec must already exist. Refer to Chapter 8, Manage Encryption Specifications for more information. Select one of the following:

**\*NONE:** No encryption will be performed on the attachment.

## Encryption Password Element

Specifies, for encrypted attachments, the password needed to access the attachment. Specify a value or select one of the following:

**\*ENCSPC:** The password is contained in the Encryption Spec specified above.

## Optional Note (OPTNOTE) Parameter

Specifies an optional note that will be placed in the message. Specify up to 5 lines of up to 70 characters or one of the following special values:

**\*NONE:** No optional note is placed into the message.

**\*BLANK:** A blank line is to be placed into the optional note.

## File containing Note (NOTEFILE) Parameter

Specifies the file that contains an additional note to be placed into the message. The file must be a physical file or source physical file. Each record in the file will be formatted as a line in the message. The note will be placed into the message as inline text. It will be converted from EBCDIC to ASCII and a CRLF will be inserted after each (blank truncated) record.

# E-MAIL UTILITIES™

Specify the file and library names or the following special value:

**\*NONE:** No file is specified.

## Note File Member (NOTEMBR) Parameter

Specifies, the member to use. Specify a name or one of the following special values:

**\*FILE:** The member name is the same as the file name.

**\*FIRST:** The first member added to the file will be used.

## EBCDIC CCSID (ECCSID) Parameter

Specifies, if EBCDIC to ASCII conversion is performed, the EBCDIC CCSID to pass to the conversion routine. Specify a number (i.e. 37 is US English) or the following:

**\*DFT:** The default EBCDIC CCSID, specified on the Tailoring Options screen, is used.

## ASCII CCSID (ACCSID) Parameter

Specifies, if EBCDIC to ASCII conversion is performed, the ASCII CCSID to pass to the conversion routine. Specify a number (i.e. 437 is US English) or the following:

**\*DFT:** The default ASCII CCSID, specified on the Tailoring Options screen, is used.

## File containing Recipient List (TOFILE) Parameter

Specifies, if **TOADDR(\*FILE)** is specified, the file which contains the recipient addresses and names. The file must exist. The file must be a physical file, logical file, or source physical file. Each record in the file will be processed as a recipient of the message. The record length of the file is optional but 128 bytes is recommended. Place the address in the first 64 characters of the record. Place the name (if desired) in positions 65 thru 128. The name portion can be left blank. Record lengths other than 128 will be padded with blanks or truncated as needed.

Place an \* in column 1 to designate a comment record. Comment records will be ignored.

Specify the file and library names or the following special value:

**\*NONE:** No file is specified.

## Recipient File Member (TOMBR) Parameter

Specifies, the member to use. Specify a name or the following special values:

**\*FILE:** The member name is the same as the file name.

**\*FIRST:** The first member added to the file will be used.

# E-MAIL COMMANDS

## Blind Carbon Copy (Bcc) Address, (BCCADDR) Parameter

Specifies Bcc recipients. Bcc recipients' name/addresses will not appear anywhere in the message. Specify up to 64 characters. Specify up to 50 E-mail address/name pairs or one of the following special values:

**\*FILE:** The recipient list is contained in a physical file specified by the **BCCFILE** and **BCCMBR** parameters listed below.

**\*BLANK:** The name portion of the Bcc recipient will be omitted.

**Note:** See "Address Formats" below for allowable address types and values.

## File containing Bcc Recipient List (BCCFILE) Parameter

Specifies, if **BCCADDR(\*FILE)** is specified, the file which contains the Bcc recipient addresses and names. The file must exist. The file must be a physical file, logical file, or source physical file. Each record in the file will be processed as a recipient of the message. The record length of the file is optional but 128 bytes is recommended. Place the address in the first 64 characters of the record. Place the name (if desired) in positions 65 thru 128. The name portion can be left blank. Record lengths other than 128 will be padded with blanks or truncated as needed.

Place an \* in column 1 to designate a comment record. Comment records will be ignored.

Specify the file and library names or the following special value:

**\*NONE:** No file is specified.

## Bcc Recipient File Member (BCCMBR) Parameter

Specifies, the member to use. Specify a name or the following special values:

**\*FILE:** The member name is the same as the file name.

**\*FIRST:** The first member added to the file will be used.

**Examples:** The following command will send an IFS file to an Internet user:

```
EMLIFSF FROMADDR(tech@broderickdata.com 'Tech Support') TOADDR((you@there.com
'To Name')) SUBJECT('Appendix A') ATCHFILE('/yourdir/appxa.pdf'
*ATCHMNT)) OPTNOTE('Here is appendix A in PDF format.')
```

## *Address Formats*

The E-mail Utilities addresses (from, to, Bcc) can be in the following formats:

SMTP

# E-MAIL UTILITIES™

User profile  
SNADS user

**SMTP:** SMTP addresses must be in the format:

name@domain

The name and domain values cannot contain special characters (< , [ ] etc).

**User Profile:** User profiles must be specified as USRPRF(XXXXX), where XXXXX is a valid user profile and has an SMTP address defined for it in the system directory. E-mail Utilities will look up the SMTP address for the specified user and substitute its SMTP address.

**SNADS user:** SNADS users must be specified as SNADSUSR(XXXXX yyyyy), where XXXXX yyyyy is a valid SNADS user and has an SMTP address defined for it in the system directory. E-mail Utilities will look up the SMTP address for the specified user and substitute its SMTP address.

## *Example HTML Attachment*

Using E-mail utilities, you can assemble high-quality E-mail messages and send them to desired users. Below is an example of how to do this.

1) On a PC, create a new directory. Use Microsoft's FrontPage or another HTML editor to create an HTML page (page1.htm). Copy any graphics (company logos, etc) used by your page into the new directory.

If your page does not have any referebced files (SRC=, etc) you do not need an HTTP server to serve them and can skip to step 4.

2) Create a subdirectory on an HTTP server that is available to public (or at least available to your recipients) web browsers. Browsers should be able to access a page in this directory using the URL

*<http://yourserver.com/yourdir/page1.htm>*

Copy the files in your new PC directory to the server's directory.

**Note:** The AS/400 has an excellent HTTP server. If you use it you may not need to copy files.

3) Edit the HTML page again, changing the file references. Look for 'SRC=' and 'HREF='. For example SRC="graphic1.jpg" must be changed to SRC="<http://www.yourserver.com/yourdir/graphic1.jpg>". You must do this because your recipient's PC will not have your directory and files on it.

## E-MAIL COMMANDS

4) Copy the HTML file (page1.htm) to an IFS directory on your AS/400. You do not need to copy the files that your HTML file refers to over to the AS/400.

5) Test the message. Send the file to yourself or your home computer. Verify all files and links are working properly:

```
EMLIFSF FROMADDR(you@you.com 'Tech Support') TOADDR((you@you.com 'To addr'))  
SUBJECT('Test HTML') ATCHFILE('/http/test1/page1.htm' *INLINE 'text'  
'html'))
```

6) Prepare a recipient list. Consider using the BCCADDR parameter instead of the TOADDR parameter. You may build the recipient list into a file.

7) Send the file using the EMLIFSF command, specifying the actual recipients.