

IFS DIRECTORY COMMANDS

SpoolOrganizer can move spool entries to an **IFS** Directory. Once moved, other tasks can access the spool entries. For example if **OS/400 HTTP** server is setup, Internet users can access the spool entries in the **IFS** directory from web browsers. **FTP** clients can also access the files written by SpoolOrganizer into **IFS** directories. The following SpoolOrganizer commands can write to **IFS** directories:

- + **DIROUTQ** command
- + **DIRSPLE** command

Files written to **IFS** directories can be in the following formats:

- + Text
- + Adobe PDF
- + HTML
- + CSV (Spreadsheet, database)

Move Outq to IFS Directory

The **DIROUTQ** command moves spool entries in an outq to an **IFS** directory. The spool entries can be removed from the outq after the move. An index file, containing a record for each moved spool entry, can be placed in the directory. Only spool entries older than a specified number of days can be moved/deleted.

Enter the **DIROUTQ** command and press **F4**. The following screen will appear:

SPOOLORGANIZER/400™

```
Outq to IFS Directory (DIROUTQ)
Type choices, press Enter.

Outq to Archive . . . . . _____ Name, *ALL
                                     *LIBL      Name, *LIBL, *ALL

Directory to place entries . . . _____

File Name Prefix . . . . . _____

Index File name . . . . . *NONE

File Format . . . . . *TXT
PDF, CSV, or HTML Spec Name . . . *NONE
Delete Moved Spool Entries . . . _____
Effective Period . . . . . DT
Effective Value . . . . . *ALL

F3=Exit  F4=Prompt  F5=Refresh  F12=Cancel  F13=How to use this display
F24=More keys
```

Outq to Move (OUTQ) Parameter

Specifies the qualified name of the outq that contains the spool entries to move. Specify both name and library:

Name Qualifier

Specifies the name of the outq. Specify a name or one of the following:

***ALL:** All outq's in the specified library will be moved.

Library Qualifier

Specifies the name of the library. Specify a name or one of the following:

***LIBL:** The library list is searched for the outq.

***ALL:** All outq's in the specified library will be moved.

Directory to place entries (PATH) Parameter

Specifies the path name of the IFS directory that will contain the moved spool entries. Specify a name or one of the following:

***ROOT:** The root directory is the path.

Note: Include a leading forward slash but not a trailing slash when specifying a path name.

Note: File subsystem QDLS is not supported.

IFS DIRECTORY COMMANDS

File Name Prefix (FILEPRE) Parameter

Specifies the name of the file. File names are in the format *pppnnnnn.ttt* where *ppp* is the prefix specified here, *nnnnn* is a 7-digit number (leading zeros included), and *ttt* is a 3-character type suffix. The first file moved will have a number of **000001**, etc. See File Format below for type suffix values.

Index File Name (IDXNAME) Parameter

Specifies the name of the Index file. The Index file is an **IFS** file placed into the same directory as the moved spool entries. A record is placed into the file for each moved spool entry. The record format is:

<u>Pos</u>	<u>Len</u>	<u>Description</u>
1	512	File name
513	512	Spool file attributes

Note: For a layout of the Spool file attributes see source file **BRODERICK/BSOSRC** member **SPLAOFF1**.

File Format (FILETYPE) Parameter

Specifies the format and the name type suffix of the output files generated. Specify one of the following:

***TXT:** Text files will be created, with a suffix of .txt.

***PDF:** Adobe PDF files will be created with a suffix of .pdf.

***HTML:** HTML files will be created with a suffix of .htm.

***CSV:** Column Separated Values (CSV) files will be created with a suffix of .csv.

PDF, CSC, or HTML Spec Name (SPECNAME) Parameter

Specifies, for types ***PDF**, ***HTML**, and ***CSV**, the specifications name to use. The spec name contains parameters used to create the output file, for example Font point size. This field is required for type ***CSV**. The spec must exist. Specify a name or one of the following:

***NONE:** No specification will be used. For types ***PDF** and ***HTML**, default values will be used.

Delete Moved Spool Entries (DLTSPLE) Parameter

Specifies if the moved spool entries should be deleted from the outq. Specify one of the following:

***NO:** Do not delete the spool entries from the outq after moving them.

***YES:** Delete the spool entries from the outq after moving them.

Effective Period (EFPRD) Parameter

Specifies, with the **EFVAL** parameter, the age of the spool entries to move. SpoolOrganizer will calculate a date and compare it to the spool entry's job date. Only job dates older than the calculated effective date will be moved. Specify one of the following:

SPOOLORGANIZER/400™

DT: (Date) The Effective Value parameter contains a date. Use this date as the effective date. Specify a date or one of the following:

***ALL**: All entries in the specified outqs will be moved.

***TODAY**: The current job date is the effective date.

Note: Dates must be entered in a **YYYYMMDD** format.

ND: (Number Days) The Effective value contains the number of days ago to use as the effective date.

MB: (Month Beginning) The first day of the current month is the effective date.

YB: (Year Beginning) The first day of the current year is the effective date.

Effective Value (EFVAL) Parameter

Specifies the value required in the **EFPRD** value specified above.

Data Authorities Assigned (DTAAUT) Parameter

Specifies Specifies, for created IFS Files only, the Data Authorities assigned to the created file. Select one or more of the following:

***DFT**: The ***IRWXU** and ***IRWXO** values (see below) will be used.

***IRUSR**: The creating user will have read access to the created file.

***IWUSR**: The creating user will have write access to the created file.

***IXUSR**: The creating user will have execute access to the created file.

***IRWXU**: The creating user will have all access to the created file.

***IRGRP**: The creating user's group will have read access to the created file.

***IWGRP**: The creating user's group will have write access to the created file.

***IXGRP**: The creating user's group will have execute access to the created file.

***IRWXG**: The creating user's group will have all access to the created file.

***IROTH**: The public will have read access to the created file.

***IWOTH**: The public will have write access to the created file.

IFS DIRECTORY COMMANDS

***IXOTH:** The public will have execute access to the created file.

***IRWXO:** The public will have all access to the created file.

Move Spool Entry to IFS Directory

The **DIRSPLE** command moves a spool to an IFS directory. It is similar to the **DIROUTQ** command described above except it moves one spool entry.

Enter the **DIRSPLE** command and press **F4**. The following screen will appear:

```
Move Spool Entry to IFS Directory (DIRSPLE)
Type choices, press Enter.

Spool entry's file name . . . . . _____ Name
Spool entry's Job Name . . . . . *CURRENT__ Name, *CURRENT
  User . . . . . _____ Name
  Number . . . . . _____ 000000-999999
Spool entry's file number . . . . . *LAST__ Number, *ONLY, *LAST
File Path and Name . . . . . _____

File Format . . . . . *TXT__
PDF, CSV, or HTML Spec Name . . . . . *NONE__

F3=Exit  F4=Prompt  F5=Refresh  F12=Cancel  F13=How to use this display
F24=More keys
```

Spool entry's file name (SPLFILE) Parameter

Specifies the spool file name to move.

Spool entry's Job name (SPLJOB) Parameter

Specifies the Job name to move. Specify Name, User, and Number:

Name Qualifier

Specifies the name of the job. Specify a name or one of the following:

***CURRENT:** The current job's job, user, and number will be used.

SPOOLORGANIZER/400™

User Qualifier

Specifies the Job name to move.

Number Qualifier

Specifies the Job number to move.

Spool entry's File Number (SPLNBR) Parameter

Specifies the spool file number to move. Specify a number or one of the following:

***LAST:** The last file will be used.

***ONLY:** The only file will be used.

Note: The 5 values, Spool file name, *Job Name/user/number*, and *spool file name*, uniquely identify a spool entry to OS/400.

File Path and Name (FILENAME) Parameter

Specifies the path and file name of the moved spool entry.

Note: Include a leading forward slash.

Note: File subsystem QDLS is not supported.

File Format (FILETYPE) Parameter

Specifies the format of the output files generated. Specify one of the following:

***TXT:** Text files will be created.

***PDF:** Adobe PDF files will be created.

***HTML:** HTML files will be created.

***CSV:** Column Separated Values (CSV) files will be created.

Spec Name (SPECNAME) Parameter

Specifies, for types ***PDF**, ***HTML**, and ***CSV**, the specifications name to use. The spec name contains parameters used to create the output file, for example Font point size. This field is required for type ***CSV**. The spec must exist. Specify a name or one of the following:

***NONE:** No specification will be used. For types ***PDF** and ***HTML**, default values will be used.

Data Authorities Assigned (DTAAUT) Parameter

Specifies Specifies, for created IFS Files only, the Data Authorities assigned to the created file. Select one or more of the following:

IFS DIRECTORY COMMANDS

***DFT:** The *IRWXU and *IRWXO values (see below) will be used.

***IRUSR:** The creating user will have read access to the created file.

***IWUSR:** The creating user will have write access to the created file.

***IXUSR:** The creating user will have execute access to the created file.

***IRWXU:** The creating user will have all access to the created file.

***IRGRP:** The creating user's group will have read access to the created file.

***IWGRP:** The creating user's group will have write access to the created file.

***IXGRP:** The creating user's group will have execute access to the created file.

***IRWXG:** The creating user's group will have all access to the created file.

***IROTH:** The public will have read access to the created file.

***IWOTH:** The public will have write access to the created file.

***IXOTH:** The public will have execute access to the created file.

***IRWXO:** The public will have all access to the created file.