

# DEFINE HTML SPECIFICATIONS

SpoolOrganizer can generate output in **HTML** format. Options that control the appearance of the **HTML** output are contained in **HTML** Specifications. The following SpoolOrganizer functions refer to **HTML** specs when generating output:

- + DIROUTQ command
- + DIRSPLE command

**Please note:** that **HTML** keywords are not fully syntax checked by SpoolOrganizer. The administrator should test the generated output. For more information on **HTML** keywords and their valid values, refer to an **HTML** reference manual.

Press **F6** to enter new specifications and enter a unique name. The following screen will appear:

|                                      |                     |          |
|--------------------------------------|---------------------|----------|
| Spec: H1                             | SpoolOrganizer/400™ | 10/20/94 |
|                                      | Define HTML Specs   | 15:06:31 |
| <b>General Keywords:</b>             |                     |          |
| Title:                               | _____               | ==       |
| Content Type:                        | text/html           | ==       |
| Character Set:                       | iso-8859-1          | ==       |
| <b>Meta Keywords:</b>                |                     |          |
| Keywords:                            | _____               | ==       |
| Title:                               | _____               | ==       |
| <b>Body Keywords:</b>                |                     |          |
| Text Color:                          | _____               | ==       |
| Backgr Color:                        | _____               | ==       |
| <b>Font Keywords:</b>                |                     |          |
| Family:                              | _____               | ==       |
| Style:                               | _____               | ==       |
| Variant:                             | _____               | ==       |
| Weight:                              | _____               | ==       |
| Size:                                | _____               | ==       |
| Descriptive Text:                    | _____               | ==       |
| F3=Exit F12=Cancel Current Operation |                     |          |

## *General Keywords*

### **Title**

Specifies the *title* keyword, used to give the web page a title. Specify a value or spaces for none.

# SPOOLORGANIZER/400™

## *Meta Keywords*

### **Content Type**

Specifies the values placed on the META *content-type* keyword. For most installations, text/html is recommended. Specify a value or spaces for none.

**Note:** If Content Type is non-blank, Character Set must be non-blank.

### **Character Set**

Specifies the values placed on the META *character-set* extension of the *content-type* keyword. For most installations, iso-8859-1 is recommended. Specify a value or spaces for none.

**Note:** If Character Set is non-blank, Content Type must be non-blank.

### **Keywords**

Specifies the Meta *keywords* keyword, used to assign search keywords to the web page. Specify values separated by commas, or spaces for none.

### **Title**

Specifies the Meta *title* keyword, used to assign a title to the web page. Specify a value, or spaces for none.

## *Body Keywords*

SpoolOrganizer generates an imbedded style sheet in the **HEAD** section of the web page. A **BODY** subsection is added to the style sheet, which will make the attributes specified here valid for the entire web page. For more information, refer to Style Sheets in an **HTML** reference manual. The following keywords are placed into the *Body* subsection of the style sheet. **Please note:** that the Font Keywords listed below are also placed into the *Body* subsection of the style sheet.

### **Text Color**

Specifies the *color* keyword, used to assign the color of typed text. Specify a value, or spaces for none.

### **Background Color**

Specifies the *bgcolor* keyword, used to assign the color of the background. Specify a value, or spaces for none.

# DEFINE HTML SPECIFICATIONS

## *Font Keywords*

The following keywords are part of the font family of keywords and are placed into the **Body** subsection of the style sheet.

### **Family**

Specifies the *font-family* keyword. Specify a value, or spaces for none. Some examples of font families are:

Times New Roman  
Courier

### **Style**

Specifies the *font-style* keyword. Specify a value, or spaces for none. Some examples of font styles are:

italic  
oblique

### **Variant**

Specifies the *font-variant* keyword. Specify a value, or spaces for none. Some examples of font variants are:

Small-caps

### **Weight**

Specifies the *font-weight* keyword. Specify a value, or spaces for none. Some examples of font weights are:

bold  
lighter

### **Size**

Specifies the *font-size* keyword. Specify a value, or spaces for none. Some examples of font sizes are:

xx-small  
medium  
12pt

### **Text**

Specify up to **30** characters of descriptive text.